

BL 20 JC



Depureco Industrial Vacuums USA

19121 Marketplace Avenue, Building 1, Suite 165
Plum Creek Business Park • Kyle • TX 78640

www.depurecousa.com
info@depurecousa.com

1.5 HP
POWER

5,270 in²
FILTER

5 gal
CAPACITY



Head with double stage filtration system.



BRUSHLESS MOTOR
120 V



M CLASS ANTISTATIC CARTRIDGE FILTER



[OPTIONAL] FILTER CARTRIDGE HEPA H14



JET CLEAN CLEANING SYSTEM

Clean the filter with a powerful jet of air without stopping the unit.



PRESSURE GAUGE


Dirty filter indicator

ALL COMPONENTS ARE GROUNDED


STAINLESS STEEL BIN
AISI 304

5 gal

HIGHLY TRANSPORTABLE



20.32 in



21.54 in

41.33 in

Weight: 378 lbs

DETACHABLE BIN



NFPA 660 Compliance



ATEX Marking:
II 3 D Ex htc III B T140°C Dc

SPEC SHEET

		Units	BL 20 JC ATEX Z22
Suction type			Brushless motor
Atex Marking			II 3D Ex htc IIIB T140°C Dc
Power	HP		1,5
Voltage Frequency	V Hz		120 50
Maximum vacuum	inH ₂ O		92
Maximum air flow	CFM		129
Inlet	Ø in		2
Noise level - (EN ISO 3744)	dB(A)		72
Bin capacity	gal		5
Dimensions	in		20.32x21.46
Height	in		41.33
Weight	lb		84
Primary filter			
Type			Cartridge
Surface area (Class EN 60335-2-69)	in ² in		5,270 M Class
Media			Antistatic polyester
Filter cleaning			Jet Clean
Absolute filter - Optional			
(Class - EN 1822)	in ²		H14
Media			Fiberglass

ACCESSORIES



ATEX STARTER KIT Ø 2 in



ATEX KIT PRO Ø 2 in

OPTIONAL



CYCLONIC SEPARATOR



Wet & Dry fixed brush floor tool